



ILLUMINATING PARACHUTE ROCKET

Wescom Signal and Rescue Germany GmbH

Wescom Group: 65-6271

Version No: 2.1.1.1

Safety Data Sheet (Conforms to Regulation (EU) No 2015/830)

Issue Date: 24/09/2021

Print Date: 24/09/2021

L.REACH.GBR.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1. Product Identifier

Product name	ILLUMINATING PARACHUTE ROCKET
Synonyms	Comet Parachute Rocket, White Art-No.: 9123700,9123706, 9123709, 9123710, Pains Wessex Para Illum Rocket MK8 – Art-No.: 9507550
Proper shipping name	SIGNALS, DISTRESS, ship
Other means of identification	Not Available

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Use according to manufacturer's directions. Signal for illuminating areas at sea. used in Search and Rescue operations at night or for collision warning. Designed to withstand exceptional environmental exposure and to perform reliably even after immersion in water, the pull wire ignitor and improved grip provides easy handling.
Uses advised against	Not Applicable

1.3. Details of the supplier of the safety data sheet

Registered company name	Wescom Signal and Rescue Germany GmbH
Address	Vieländer Weg 147 Bremerhaven 27574 Germany
Telephone	+49 471 3930
Fax	+49 471 3932 10
Website	www.wescom-group.com
Email	info@wescom-group.com

1.4. Emergency telephone number

Association / Organisation	Consultant Lutz Harder GmbH
Emergency telephone numbers	+49 178 433 7434
Other emergency telephone numbers	Not Available

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to regulation (EC) No 1272/2008 [CLP] [1]	H204 - Explosive Division 1.4
Legend:	1. Classified by Wescom Group; 2. Classification drawn from EC Directive 67/548/EEC - Annex I ; 3. Classification drawn from EC Directive 1272/2008 - Annex VI

2.2. Label elements

Hazard pictogram(s)	
SIGNAL WORD	WARNING
Hazard statement(s)	
H204	Fire or projection hazard.

Precautionary statement(s) Prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P250	Do not subject to grinding/shock/sources of friction.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

P240	Ground/bond container and receiving equipment.
------	--

Precautionary statement(s) Response

P370+P380	In case of fire: Evacuate area.
P372	Explosion risk in case of fire.
P374	Fight fire with normal precautions from a reasonable distance.
P373	DO NOT fight fire when fire reaches explosives.

Precautionary statement(s) Storage

P401	Store according to local regulations for explosives.
------	--

Precautionary statement(s) Disposal

P501	Dispose of contents/container in accordance with local regulations.
------	---

RECh - Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.1.Substances

See 'Composition on ingredients' in Section 3.2

3.2.Mixtures

1.CAS No 2.EC No 3.Index No 4.REACH No	%[weight]	Name	Classification according to regulation (EC) No 1272/2008 [CLP]
		device contains	
		lighter composition, delay composition and ignition composition	
		pyrotechnic materials of;	
1.7757-79-1 2.231-818-8 3.Not Available 4.01-2119488224-35-XXXX 01-2120104950-66-XXXX	30-60	<u>potassium nitrate</u>	Oxidizing Solid Category 3, Acute Toxicity (Oral) Category 4, Eye Irritation Category 2; H272, H302, H319 [1]
1.7439-95-4 2.231-104-6 3.012-001-00-3 012-002-00-9 4.01-2119537203-49-XXXX 01-2119940954-29-XXXX 01-2120113187-64-XXXX	30-60	<u>magnesium</u>	Flammable Solid Category 1, Emit Flammable Gases with Water Category 2; H228, H261 [1]
1.7631-99-4 2.231-554-3 3.Not Available 4.01-2119488221-41-XXXX	30-60	<u>sodium nitrate</u>	Oxidizing Solid Category 3, Acute Toxicity (Oral) Category 4, Skin Corrosion/Irritation Category 2, Eye Irritation Category 2, Germ cell mutagenicity Category 2, Carcinogenicity Category 2, Specific target organ toxicity - single exposure Category 3 (respiratory tract irritation); H272, H302, H315, H319, H341, H351, H335 [1]
1.10042-76-9 2.233-131-9 3.Not Available 4.01-2119615605-42-XXXX 01-2120105844-60-XXXX	10-30	<u>strontium nitrate</u>	Oxidizing Solid Category 3, Skin Corrosion/Irritation Category 2, Eye Irritation Category 2, Specific target organ toxicity - single exposure Category 3 (respiratory tract irritation); H272, H315, H319, H335 [1]
1.8050-09-7 2.232-475-7 3.650-015-00-7 4.01-2119480418-32-XXXX	1-5	<u>rosin-colophony</u>	Skin Sensitizer Category 1; H317 [3]
1.7429-90-5 2.231-072-3 3.013-001-00-6 013-002-00-1 4.01-2119529243-45-XXXX	10-30	<u>aluminium</u>	Emit Flammable Gases with Water Category 3, Pyrophoric Solid Category 1; H261, H250 [3]
1.7778-74-7 2.231-912-9 3.017-008-00-5 4.01-2120021000-89-XXXX	10-30	<u>potassium perchlorate</u>	Oxidizing Solid Category 1, Acute Toxicity (Oral) Category 4; H271, H302 [3]
		rocket propellant;	
1.10294-40-3 2.233-660-5 3.056-002-00-7 4.Not Available	10-30	<u>barium chromate</u>	Acute Toxicity (Inhalation) Category 4, Acute Toxicity (Oral) Category 4; H332, H302 [3]

Legend: 1. Classified by Wescom Group; 2. Classification drawn from EC Directive 67/548/EEC - Annex I ; 3. Classification drawn from EC Directive 1272/2008 - Annex VI 4. Classification drawn from C&L

SECTION 4 FIRST AID MEASURES

ILLUMINATING PARACHUTE ROCKET

4.1. Description of first aid measures

Eye Contact	If this product comes in contact with eyes: - Wash out immediately with water. - If irritation continues, seek medical attention. - Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs: - Immediately remove all contaminated clothing, including footwear. - Flush skin and hair with running water (and soap if available). - Seek medical attention in event of irritation.
Inhalation	- If fumes or combustion products are inhaled remove from contaminated area. - Lay patient down. Keep warm and rested. - Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. - Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. - Transport to hospital, or doctor, without delay.
Ingestion	- Not considered a normal route of entry. - If swallowed do NOT induce vomiting. - If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. - Observe the patient carefully. - Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. - Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. - Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

5.1. Extinguishing media

DANGER: Deliver media remotely.

- For minor fires: Flooding quantities only.
- For large fires: Do not attempt to extinguish.

Apply by mechanical means only. Fight all fires from a remote and explosion resistant site.

5.2. Special hazards arising from the substrate or mixture

Fire Incompatibility	Avoid contact with other chemicals.
----------------------	-------------------------------------

5.3. Advice for firefighters

Fire Fighting	WARNING: EXPLOSIVE MATERIALS / ARTICLES PRESENT! - Evacuate all personnel and move upwind. - Prevent re-entry. - Alert Fire Brigade and tell them location and nature of hazard. - May detonate and burning material may be propelled from fire. - Wear full-body protective clothing with breathing apparatus. - Prevent, by any means available, spillage and fire effluent from entering drains and water courses. - Fight fire from safe distances and from protected locations. - Use flooding quantities of water. - DO NOT approach containers or packages suspected to be hot. - Cool any exposed containers not involved in fire from a protected location. - Equipment should be thoroughly decontaminated after use. Slight hazard when exposed to heat, flame and oxidisers.
Fire/Explosion Hazard	Division 1.4 Substances, mixtures and articles which present no significant hazard: substances, mixtures and articles which present only a small hazard in the event of ignition or initiation. The effects are largely confined to the package and no projection of fragments of appreciable size or range is to be expected. An external fire shall not cause virtually instantaneous explosion of almost the entire contents of the package. Compatibility Group G explosives are pyrotechnic substances, or article containing a pyrotechnic substances, or article containing both an explosive substance and an illuminating, incendiary, tear- or smoke-producing substance (other than a water-activated article or one containing white phosphorus, phosphides, a pyrophoric substance, a flammable liquid or gel, or hypergolic liquids). Combustible. Will burn if ignited. Combustion products include: - carbon monoxide (CO) - carbon dioxide (CO2) - other pyrolysis products typical of burning organic material.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

See section 8

6.2. Environmental precautions

See section 12

Continued...

ILLUMINATING PARACHUTE ROCKET

6.3. Methods and material for containment and cleaning up

Minor Spills	WARNING! EXPLOSIVE. BLAST and/or PROJECTION and/or FIRE HAZARD ■ Clean up all spills immediately. ■ Avoid inhalation of the material and avoid contact with eyes and skin. ■ Wear impervious gloves and safety glasses. ■ Remove all ignition sources. ■ Use spark-free tools when handling. ■ Sweep into non-sparking containers or barrels and moisten with water. ■ Place spilled material in clean, sealable, labelled container for disposal. ■ Flush area with large amounts of water.
Major Spills	WARNING! EXPLOSIVE. ■ Clear area of personnel and move upwind. ■ Alert Fire Brigade and tell them location and nature of hazard. ■ May be violently or explosively reactive. ■ Wear full body protective clothing with breathing apparatus. ■ Consider evacuation (or protect in place). ■ In case of transport accident notify Police, Emergency Authority, Competent Explosives Authority or Manufacturer. ■ No smoking, naked lights, heat or ignition sources. ■ Increase ventilation. ■ Use extreme caution to prevent physical shock. ■ Use only spark-free shovels and explosion-proof equipment. ■ Collect recoverable material and segregate from spilled material. ■ Wash spill area with large quantities of water.

6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Safe handling	■ Handle gently. Use good occupational work practice. ■ Observe manufacturer's storage and handling recommendations contained within this SDS. ■ Avoid all personal contact, including inhalation. ■ Avoid smoking, naked lights, heat or ignition sources. ■ Explosives must not be struck with metal implements. ■ Avoid mechanical and thermal shock and friction. ■ Use in a well ventilated area. ■ Avoid contact with incompatible materials. ■ When handling DO NOT eat, drink or smoke. ■ Avoid physical damage to containers. ■ Always wash hands with soap and water after handling. ■ Work clothes should be laundered separately.
Fire and explosion protection	See section 5
Other information	■ Store cases in a well ventilated magazine licensed for the appropriate Class, Division and Compatibility Group. ■ Rotate stock to prevent ageing. Use on FIFO (first in-first out) basis. ■ Observe manufacturer's storage and handling recommendations contained within this SDS. ■ Store in a cool place in original containers. ■ Keep containers securely sealed. ■ No smoking, naked lights, heat or ignition sources. ■ Store in an isolated area away from other materials. ■ Keep storage area free of debris, waste and combustibles. ■ Protect containers against physical damage. ■ Check regularly for spills and leaks NOTE: If explosives need to be destroyed contact the Competent Authority. ■ Store away from incompatible materials. Keep out of reach of children.

7.2. Conditions for safe storage, including any incompatibilities

Suitable container	■ All packaging for Class 1 Goods shall be in accordance with the requirements of the relevant Code for the transport of Dangerous Goods. ■ Class 1 is unique in that the type of packaging used frequently has a very decisive effect on the hazard and therefore on the assignment to a particular division
Storage incompatibility	■ Avoid contact with other explosives, pyrotechnics, solvents, adhesives, paints, cleaners and unauthorized metals, plastics, packing equipment and materials. ■ Avoid contamination with acids, alkalis, reducing agents, amines and phosphorus. ■ Explosion hazard may follow contact with incompatible materials

7.3. Specific end use(s)

See section 1.2

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

DERIVED NO EFFECT LEVEL (DNEL)

Not Available

PREDICTED NO EFFECT LEVEL (PNEC)

Continued...

Not Available

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
UK Workplace Exposure Limits (WELs)	rosin-colophony	Rosin-based solderflux fume	0.05 mg/m3	0.15 mg/m3	Not Available	Sen
UK Workplace Exposure Limits (WELs)	aluminium	Aluminium metal inhalable dust	10 mg/m3	Not Available	Not Available	Not Available
UK Workplace Exposure Limits (WELs)	aluminium	Aluminium metal respirable dust	4 mg/m3	Not Available	Not Available	Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
potassium nitrate	Potassium nitrate	9 mg/m3	100 mg/m3	600 mg/m3
magnesium	Magnesium	18 mg/m3	200 mg/m3	1,200 mg/m3
sodium nitrate	Sodium nitrate	4.1 mg/m3	45 mg/m3	270 mg/m3
strontium nitrate	Strontium nitrate	5.7 mg/m3	62 mg/m3	370 mg/m3
rosin-colophony	Rosin core solder decomposition products; (Colophony Gum)	72 mg/m3	790 mg/m3	1,500 mg/m3
potassium perchlorate	Potassium perchlorate	6.3 mg/m3	69 mg/m3	420 mg/m3
barium chromate	Barium chromate	0.15 mg/m3	13 mg/m3	77 mg/m3

Ingredient	Original IDLH	Revised IDLH
potassium nitrate	Not Available	Not Available
magnesium	Not Available	Not Available
sodium nitrate	Not Available	Not Available
strontium nitrate	Not Available	Not Available
rosin-colophony	Not Available	Not Available
aluminium	Not Available	Not Available
potassium perchlorate	Not Available	Not Available
barium chromate	Not Available	Not Available

MATERIAL DATA

8.2. Exposure controls

8.2.1. Appropriate engineering controls	Engineering controls for explosive articles are designed to reduce or eliminate fragmentation and/or blast effects either by suppression of the source of detonation or by protection at the exposed location, or both. Barricades, shields, contained detonation chambers, and "zero quantity-distance (Q-D)" magazines are examples of engineering controls. Engineering controls are designed and tested in a rigorous fashion. The construction of the engineering control must be carefully duplicated in field applications to assure it will function properly. It is thus imperative that engineering controls be built exactly in accordance with the design package, and that they be used only for the articles (e.g.munitions) for which they are authorised.
8.2.2. Personal protection	
Eye and face protection	■ Safety glasses with side shields ■ Chemical goggles
Skin protection	See Hand protection below
Hands/feet protection	■ Wear chemical protective gloves, e.g. PVC. ■ Wear safety footwear or safety gumboots, e.g. Rubber
Body protection	See Other protection below
Other protection	■ Fire resistant/ heat resistant gloves where practical, otherwise ■ Heavy-duty chemically resistant gloves capable of providing short-term protection against spontaneous ignition. ■ Safety footwear Hard hat Ear Protection.
Thermal hazards	Not Available

Respiratory protection

Respiratory protection not normally required due to the physical form of the product.

8.2.3. Environmental exposure controls

See section 12

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

ILLUMINATING PARACHUTE ROCKET

9.1. Information on basic physical and chemical properties

Appearance	Aluminium tube with orange plastic outer casing pressed with black/grey Pyrotechnical ingredients.		
Physical state	Manufactured	Relative density (Water = 1)	Not Applicable
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	>71
pH (as supplied)	Not Applicable	Decomposition temperature	Not Applicable
Melting point / freezing point (°C)	Not Applicable	Viscosity (cSt)	Not Applicable
Initial boiling point and boiling range (°C)	Not Applicable	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	160	Taste	Not Available
Evaporation rate	Not Applicable	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Applicable
Vapour pressure (kPa)	Not Applicable	Gas group	Not Available
Solubility in water (g/L)	Immiscible	pH as a solution (1%)	Not Applicable
Vapour density (Air = 1)	Not Applicable	VOC g/L	Not Available

9.2. Other information

Not Available

SECTION 10 STABILITY AND REACTIVITY

10.1.Reactivity	See section 7.2
10.2. Chemical stability	■ Presence of shock and friction ■ Presence of heat source and ignition source ■ Product is considered stable under normal handling conditions. ■ Stable under normal storage conditions. ■ Hazardous polymerization will not occur. Avoid contact with other chemicals.
10.3. Possibility of hazardous reactions	See section 7.2
10.4. Conditions to avoid	See section 7.2
10.5. Incompatible materials	See section 7.2
10.6. Hazardous decomposition products	See section 5.3

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Inhaled	Not normally a hazard due to physical form of product. Inhalation of vapour is more likely at higher than normal temperatures. The vapour is discomforting
Ingestion	Not normally a hazard due to physical form of product.
Skin Contact	Not normally a hazard due to physical form of product. The vapour is discomforting
Eye	Not normally a hazard due to physical form of product. The vapour is discomforting
Chronic	■ Generally not applicable.

ILLUMINATING PARACHUTE ROCKET	TOXICITY	IRRITATION
	Not Available	Not Available
potassium nitrate	TOXICITY	IRRITATION
	dermal (rat) LD50: >5000 mg/kg ^[1] Oral (rat) LD50: >2000 mg/kg ^[1]	Not Available
magnesium	TOXICITY	IRRITATION
	Oral (rat) LD50: >2000 mg/kg ^[1]	Not Available
sodium nitrate	TOXICITY	IRRITATION
	dermal (rat) LD50: >5000 mg/kg ^[1]	Not Available

Continued...

ILLUMINATING PARACHUTE ROCKET

	Oral (rat) LD50: 1267 mg/kg ^[2]	
strontium nitrate	TOXICITY	IRRITATION
	Oral (rat) LD50: 1892 mg/kg ^[2]	Not Available
rosin-colophony	TOXICITY	IRRITATION
	dermal (rat) LD50: >2000 mg/kg ^[1]	Not Available
	Oral (rat) LD50: 3.0 mg/kg ^[2]	
aluminium	TOXICITY	IRRITATION
	Oral (rat) LD50: >2000 mg/kg ^[1]	Not Available
potassium perchlorate	TOXICITY	IRRITATION
	Not Available	Not Available
barium chromate	TOXICITY	IRRITATION
	Oral (rat) LD50: >2000 mg/kg ^[2]	Not Available
Legend: 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances		

BARIUM CHROMATE	WARNING: This substance has been classified by the IARC as Group 1 CARCINOGENIC TO HUMANS.
SODIUM NITRATE & STRONTIUM NITRATE	Asthma-like symptoms may continue for months or even years after exposure to the material ceases. This may be due to a non-allergenic condition known as reactive airways dysfunction syndrome (RADS) which can occur following exposure to high levels of highly irritating compound. Key criteria for the diagnosis of RADS include the absence of preceding respiratory disease, in a non-atopic individual, with abrupt onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. A reversible airflow pattern, on spirometry, with the presence of moderate to severe bronchial hyperreactivity on methacholine challenge testing and the lack of minimal lymphocytic inflammation, without eosinophilia, have also been included in the criteria for diagnosis of RADS. RADS (or asthma) following an irritating inhalation is an infrequent disorder with rates related to the concentration of and duration of exposure to the irritating substance. Industrial bronchitis, on the other hand, is a disorder that occurs as result of exposure due to high concentrations of irritating substance (often particulate in nature) and is completely reversible after exposure ceases. The disorder is characterised by dyspnea, cough and mucus production.
ROSIN-COLOPHONY & BARIUM CHROMATE	The following information refers to contact allergens as a group and may not be specific to this product. Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria, involve antibody-mediated immune reactions. The significance of the contact allergen is not simply determined by its sensitisation potential: the distribution of the substance and the opportunities for contact with it are equally important. A weakly sensitising substance which is widely distributed can be a more important allergen than one with stronger sensitising potential with which few individuals come into contact. From a clinical point of view, substances are noteworthy if they produce an allergic test reaction in more than 1% of the persons tested.
ALUMINIUM & POTASSIUM PERCHLORATE	No significant acute toxicological data identified in literature search.

Acute Toxicity	☐	Carcinogenicity	☐
Skin Irritation/Corrosion	☐	Reproductivity	☐
Serious Eye Damage/Irritation	☐	STOT - Single Exposure	☐
Respiratory or Skin sensitisation	☐	STOT - Repeated Exposure	☐
Mutagenicity	☐	Aspiration Hazard	☐

Legend: ✗ – Data available but does not fill the criteria for classification
✔ – Data available to make classification
☐ – Data Not Available to make classification

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

ILLUMINATING PARACHUTE ROCKET	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	Not Available	Not Available	Not Available	Not Available	Not Available
potassium nitrate	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	22.5mg/L	4
magnesium	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	541mg/L	2
	EC50	72	Algae or other aquatic plants	>20mg/L	2
	NOEC	72	Algae or other aquatic plants	>25.5mg/L	2

Continued...

ILLUMINATING PARACHUTE ROCKET

sodium nitrate	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	573mg/L	4
	NOEC	2880	Fish	1.6mg/L	4
strontium nitrate	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	>40.3mg/L	2
	EC50	72	Algae or other aquatic plants	>43.3mg/L	2
	NOEC	96	Fish	>=40.3mg/L	2
rosin-colophony	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	5.4mg/L	2
	EC50	48	Crustacea	=4.5mg/L	1
	EC50	72	Algae or other aquatic plants	=400mg/L	1
	EC0	24	Crustacea	=2.15mg/L	1
aluminium	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	0.078-0.108mg/L	2
	EC50	48	Crustacea	0.7364mg/L	2
	EC50	96	Algae or other aquatic plants	0.0054mg/L	2
	BCF	360	Algae or other aquatic plants	9mg/L	4
	NOEC	72	Algae or other aquatic plants	>=0.004mg/L	2
potassium perchlorate	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	EC10	24	Algae or other aquatic plants	>1000mg/L	4
barium chromate	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	Not Available	Not Available	Not Available	Not Available	Not Available

Legend:

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

12.2. Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
potassium nitrate	LOW	LOW
sodium nitrate	LOW	LOW
rosin-colophony	HIGH	HIGH

12.3. Bioaccumulative potential

Ingredient	Bioaccumulation
potassium nitrate	LOW (LogKOW = 0.209)
sodium nitrate	LOW (LogKOW = 0.209)
rosin-colophony	HIGH (LogKOW = 6.4607)

12.4. Mobility in soil

Ingredient	Mobility
potassium nitrate	LOW (KOC = 14.3)
sodium nitrate	LOW (KOC = 14.3)
rosin-colophony	LOW (KOC = 21990)

12.5. Results of PBT and vPvB assessment

	P	B	T
Relevant available data	Not Available	Not Available	Not Available
PBT Criteria fulfilled?	Not Available	Not Available	Not Available

12.6. Other adverse effects

No data available

SECTION 13 DISPOSAL CONSIDERATIONS**13.1. Waste treatment methods**

Continued...

ILLUMINATING PARACHUTE ROCKET

Product / Packaging disposal	- Explosives must not be thrown away, buried, discarded or placed with garbage. - Explosives which are surplus, deteriorated or considered unsafe for transport, storage or use shall be destroyed and the statutory authorities shall be notified. - This material may be disposed of by burning or detonation but the operation may only be performed under the control of a person trained in the safe destruction of explosives. Refer to local Waste Disposal Authority and supplier for suitable disposal procedure.
Waste treatment options	Not Available
Sewage disposal options	Not Available

SECTION 14 TRANSPORT INFORMATION

Labels Required

	
Marine Pollutant	NO
HAZCHEM	1YE

Land transport (ADR)

14.1.UN number	0505										
14.2.UN proper shipping name	SIGNALS, DISTRESS, ship										
14.3. Transport hazard class(es)	<table> <tr> <td>Class</td><td>1.4G</td></tr> <tr> <td>Subrisk</td><td>Not Applicable</td></tr> </table>	Class	1.4G	Subrisk	Not Applicable						
Class	1.4G										
Subrisk	Not Applicable										
14.4.Packing group	Not Applicable										
14.5.Environmental hazard	Not Applicable										
14.6. Special precautions for user	<table> <tr> <td>Hazard identification (Kemler)</td><td>Not Applicable</td></tr> <tr> <td>Classification code</td><td>1.4G</td></tr> <tr> <td>Hazard Label</td><td>1.4</td></tr> <tr> <td>Special provisions</td><td>Not Applicable</td></tr> <tr> <td>Limited quantity</td><td>0</td></tr> </table>	Hazard identification (Kemler)	Not Applicable	Classification code	1.4G	Hazard Label	1.4	Special provisions	Not Applicable	Limited quantity	0
Hazard identification (Kemler)	Not Applicable										
Classification code	1.4G										
Hazard Label	1.4										
Special provisions	Not Applicable										
Limited quantity	0										

Air transport (ICAO-IATA / DGR)

14.1. UN number	0505														
14.2. UN proper shipping name	Signals, distress ship														
14.3. Transport hazard class(es)	<table> <tr> <td>ICAO/IATA Class</td><td>1.4G</td></tr> <tr> <td>ICAO / IATA Subrisk</td><td>Not Applicable</td></tr> <tr> <td>ERG Code</td><td>1L</td></tr> </table>	ICAO/IATA Class	1.4G	ICAO / IATA Subrisk	Not Applicable	ERG Code	1L								
ICAO/IATA Class	1.4G														
ICAO / IATA Subrisk	Not Applicable														
ERG Code	1L														
14.4. Packing group	Not Applicable														
14.5. Environmental hazard	Not Applicable														
14.6. Special precautions for user	<table> <tr> <td>Special provisions</td><td>Not Applicable</td></tr> <tr> <td>Cargo Only Packing Instructions</td><td>135</td></tr> <tr> <td>Cargo Only Maximum Qty / Pack</td><td>75 kg</td></tr> <tr> <td>Passenger and Cargo Packing Instructions</td><td>Forbidden</td></tr> <tr> <td>Passenger and Cargo Maximum Qty / Pack</td><td>Forbidden</td></tr> <tr> <td>Passenger and Cargo Limited Quantity Packing Instructions</td><td>Forbidden</td></tr> <tr> <td>Passenger and Cargo Limited Maximum Qty / Pack</td><td>Forbidden</td></tr> </table>	Special provisions	Not Applicable	Cargo Only Packing Instructions	135	Cargo Only Maximum Qty / Pack	75 kg	Passenger and Cargo Packing Instructions	Forbidden	Passenger and Cargo Maximum Qty / Pack	Forbidden	Passenger and Cargo Limited Quantity Packing Instructions	Forbidden	Passenger and Cargo Limited Maximum Qty / Pack	Forbidden
Special provisions	Not Applicable														
Cargo Only Packing Instructions	135														
Cargo Only Maximum Qty / Pack	75 kg														
Passenger and Cargo Packing Instructions	Forbidden														
Passenger and Cargo Maximum Qty / Pack	Forbidden														
Passenger and Cargo Limited Quantity Packing Instructions	Forbidden														
Passenger and Cargo Limited Maximum Qty / Pack	Forbidden														

Sea transport (IMDG-Code / GGVSee)

14.1. UN number	0505						
14.2. UN proper shipping name	SIGNALS, DISTRESS ship						
14.3. Transport hazard class(es)	<table> <tr> <td>IMDG Class</td><td>1.4G</td></tr> <tr> <td>IMDG Subrisk</td><td>Not Applicable</td></tr> </table>	IMDG Class	1.4G	IMDG Subrisk	Not Applicable		
IMDG Class	1.4G						
IMDG Subrisk	Not Applicable						
14.4. Packing group	Not Applicable						
14.5. Environmental hazard	Not Applicable						
14.6. Special precautions for user	<table> <tr> <td>EMS Number</td><td>F-B , S-X</td></tr> <tr> <td>Special provisions</td><td>Not Applicable</td></tr> <tr> <td>Limited Quantities</td><td>0</td></tr> </table>	EMS Number	F-B , S-X	Special provisions	Not Applicable	Limited Quantities	0
EMS Number	F-B , S-X						
Special provisions	Not Applicable						
Limited Quantities	0						

ILLUMINATING PARACHUTE ROCKET

Inland waterways transport (ADN)

14.1. UN number	0505										
14.2. UN proper shipping name	SIGNALS, DISTRESS, ship										
14.3. Transport hazard class(es)	1.4G Not Applicable										
14.4. Packing group	Not Applicable										
14.5. Environmental hazard	Not Applicable										
14.6. Special precautions for user	<table> <tr> <td>Classification code</td><td>1.4G</td></tr> <tr> <td>Special provisions</td><td>Not Applicable</td></tr> <tr> <td>Limited quantity</td><td>0</td></tr> <tr> <td>Equipment required</td><td>PP</td></tr> <tr> <td>Fire cones number</td><td>1</td></tr> </table>	Classification code	1.4G	Special provisions	Not Applicable	Limited quantity	0	Equipment required	PP	Fire cones number	1
Classification code	1.4G										
Special provisions	Not Applicable										
Limited quantity	0										
Equipment required	PP										
Fire cones number	1										

14.7. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

POTASSIUM NITRATE(7757-79-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS

European Customs Inventory of Chemical Substances ECICS (English)	European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)
---	---

MAGNESIUM(7439-95-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS

EU REACH Regulation (EC) No 1907/2006 - Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)
European Customs Inventory of Chemical Substances ECICS (English)	European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

SODIUM NITRATE(7631-99-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS

European Customs Inventory of Chemical Substances ECICS (English)	European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)
---	---

STRONTIUM NITRATE(10042-76-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS

European Customs Inventory of Chemical Substances ECICS (English)	European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)
---	---

ROSIN-COLOPHONY(8050-09-7) IS FOUND ON THE FOLLOWING REGULATORY LISTS

European Customs Inventory of Chemical Substances ECICS (English)	European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI
European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)	UK Workplace Exposure Limits (WELs)

ALUMINIUM(7429-90-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

EU REACH Regulation (EC) No 1907/2006 - Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)
European Customs Inventory of Chemical Substances ECICS (English)	European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI
European Trade Union Confederation (ETUC) Priority List for REACH Authorisation	UK Workplace Exposure Limits (WELs)

POTASSIUM PERCHLORATE(7778-74-7) IS FOUND ON THE FOLLOWING REGULATORY LISTS

European Customs Inventory of Chemical Substances ECICS (English)	European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI
European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)	

BARIUM CHROMATE(10294-40-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS

EU REACH Regulation (EC) No 1907/2006 - Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI
European Customs Inventory of Chemical Substances ECICS (English)	International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs
European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)	UK Workplace Exposure Limits (WELs)

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable - : 98/24/EC, 92/85/EC, 94/33/EC, 91/689/EEC, 1999/13/EC, Commission Regulation (EU) 2015/830, Regulation (EC) No 1272/2008 and their amendments

15.2. Chemical safety assessment

For further information please look at the Chemical Safety Assessment and Exposure Scenarios prepared by your Supply Chain if available.

ECHA SUMMARY

Ingredient	CAS number	Index No	ECHA Dossier
potassium nitrate	7757-79-1	Not Available	01-2119488224-35-XXXX, 01-2120104950-66-XXXX
Harmonisation (C&L)	Hazard Class and Category Code(s)		Pictograms Signal Hazard Statement Code(s)

Continued...

Inventory)		Word Code(s)	
1	Ox. Sol. 2, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3	GHS03, GHS07, Dgr	H272, H315, H319, H335
2	Ox. Sol. 3, Ox. Sol. 2, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, Ox. Sol. 1, Aquatic Chronic 3, Ox. Liq. 3, Acute Tox. 4, Repr. 2, STOT SE 2, STOT RE 2, Ox. Liq. 2, Ox. Liq. 1	GHS03, Dgr, GHS08	H315, H319, H335, H271, H412, H302, H361, H371, H373

Harmonisation Code 1 = The most prevalent classification. Harmonisation Code 2 = The most severe classification.

Ingredient	CAS number	Index No	ECHA Dossier
magnesium	7439-95-4	012-001-00-3, 012-002-00-9	01-2119537203-49-XXXX, 01-2119940954-29-XXXX, 01-2120113187-64-XXXX

Harmonisation (C&L Inventory)	Hazard Class and Category Code(s)	Pictograms Signal Word Code(s)	Hazard Statement Code(s)
1	Pyr. Sol. 1, Water-react. 1	GHS02, Dgr	H250, H260
2	Pyr. Sol. 1, Water-react. 1, Flam. Sol. 1, Self-heat. 1, Water-react. 2, Water-react. 3, Flam. Sol. 2, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, Aquatic Chronic 4, Self-heat. 2	GHS02, Dgr, GHS07	H250, H260, H228, H251, H315, H319, H335, H413
1	Pyr. Sol. 1, Water-react. 1	GHS02, Dgr	H250, H260
2	Pyr. Sol. 1, Water-react. 1, Flam. Sol. 1, Self-heat. 1, Water-react. 2, Water-react. 3, Flam. Sol. 2, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, Aquatic Chronic 4, Self-heat. 2	GHS02, Dgr, GHS07	H250, H260, H228, H251, H315, H319, H335, H413

Harmonisation Code 1 = The most prevalent classification. Harmonisation Code 2 = The most severe classification.

Ingredient	CAS number	Index No	ECHA Dossier
sodium nitrate	7631-99-4	Not Available	01-2119488221-41-XXXX

Harmonisation (C&L Inventory)	Hazard Class and Category Code(s)	Pictograms Signal Word Code(s)	Hazard Statement Code(s)
1	Ox. Sol. 3, Eye Irrit. 2	GHS03, GHS07, Wng	H272, H319
2	Ox. Sol. 3, Eye Irrit. 2, Ox. Sol. 2, Acute Tox. 4, Ox. Liq. 1, Ox. Sol. 1, Ox. Liq. 2, Acute Tox. 2, Skin Irrit. 2, STOT SE 3, Ox. Liq. 3	GHS03, Dgr, GHS02, GHS06, GHS09	H319, H271, H300, H315, H335, H373
1	Ox. Sol. 2, Eye Irrit. 2	GHS03, GHS07, Dgr	H272, H319
2	Ox. Sol. 2, Eye Irrit. 2	GHS03, GHS07, Dgr	H272, H319

Harmonisation Code 1 = The most prevalent classification. Harmonisation Code 2 = The most severe classification.

Ingredient	CAS number	Index No	ECHA Dossier
strontium nitrate	10042-76-9	Not Available	01-2119615605-42-XXXX, 01-2120105844-60-XXXX

Harmonisation (C&L Inventory)	Hazard Class and Category Code(s)	Pictograms Signal Word Code(s)	Hazard Statement Code(s)
1	Ox. Sol. 1, Eye Dam. 1	GHS03, GHS05, Dgr	H271, H318
2	Ox. Sol. 1, Eye Dam. 1, Ox. Sol. 3, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, Ox. Sol. 2, Ox. Liq. 3	GHS03, GHS05, Dgr, GHS02	H271, H318, H302, H315, H335

Harmonisation Code 1 = The most prevalent classification. Harmonisation Code 2 = The most severe classification.

Ingredient	CAS number	Index No	ECHA Dossier
rosin-colophony	8050-09-7	650-015-00-7	01-2119480418-32-XXXX

Harmonisation (C&L Inventory)	Hazard Class and Category Code(s)	Pictograms Signal Word Code(s)	Hazard Statement Code(s)
1	Skin Sens. 1	GHS07, Wng	H317
2	Skin Sens. 1, Resp. Sens. 1, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Aquatic Chronic 1, Aquatic Chronic 2, Flam. Sol. 2, Skin Mild Irrit. 3, Eye Irrit. 2B, Skin Sens. 1A	GHS08, Dgr, GHS02	H317, H334, H410, H319, H332, H228, H316

Harmonisation Code 1 = The most prevalent classification. Harmonisation Code 2 = The most severe classification.

Ingredient	CAS number	Index No	ECHA Dossier
aluminium	7429-90-5	013-001-00-6, 013-002-00-1	01-2119529243-45-XXXX

Harmonisation (C&L Inventory)	Hazard Class and Category Code(s)	Pictograms Signal Word Code(s)	Hazard Statement Code(s)
1	Flam. Sol. 1, Water-react. 2	GHS02, Dgr	H228, H261
2	Flam. Sol. 1, Water-react. 2, Pyr. Sol. 1, Acute Tox. 3, Flam. Sol. 2, Aquatic Chronic 4, STOT RE 2, Aquatic Acute 1, Pyr. Liq. 1, STOT RE 1, Skin Sens. 1, Water-react. 1	Dgr, GHS01, GHS09, GHS05, GHS06, GHS08	H228, H261, H250, H413, H302, H311, H315, H331, H400, H372, H317
1	Flam. Sol. 1, Water-react. 2	GHS02, Dgr	H228, H261
2	Flam. Sol. 1, Water-react. 2, Pyr. Sol. 1, Acute Tox. 3, Flam. Sol. 2, Aquatic Chronic 4, STOT RE 2, Aquatic Acute 1, Pyr. Liq. 1, STOT RE 1, Skin Sens. 1, Water-react. 1	Dgr, GHS01, GHS09, GHS05, GHS06, GHS08	H228, H261, H250, H413, H302, H311, H315, H331, H400, H372, H317
1	Skin Irrit. 2, Eye Irrit. 2, Aquatic Acute 1, Aquatic Chronic 2	GHS09, GHS07, Wng	H315, H319, H400, H411
2	Skin Irrit. 2, Eye Irrit. 2, Aquatic Acute 1, Aquatic Chronic 2	GHS09, GHS07, Wng	H315, H319, H400, H411
1	Not Classified	Not Available	Not Available
2	Not Classified	Not Available	Not Available

Harmonisation Code 1 = The most prevalent classification. Harmonisation Code 2 = The most severe classification.

Ingredient	CAS number	Index No	ECHA Dossier
potassium perchlorate	7778-74-7	017-008-00-5	01-2120021000-89-XXXX

Harmonisation (C&L Inventory)	Hazard Class and Category Code(s)	Pictograms Signal Word Code(s)	Hazard Statement Code(s)
1	Ox. Sol. 1, Acute Tox. 4	GHS03, GHS07, Dgr	H271, H302
2	Ox. Sol. 1, Acute Tox. 4, Ox. Liq. 1, Eye Irrit. 2, STOT RE 2	GHS03, Dgr, GHS08	H271, H302, H319, H373

Harmonisation Code 1 = The most prevalent classification. Harmonisation Code 2 = The most severe classification.

Ingredient	CAS number	Index No	ECHA Dossier
barium chromate	10294-40-3	056-002-00-7	Not Available

Harmonisation (C&L Inventory)	Hazard Class and Category Code(s)	Pictograms Signal Word Code(s)	Hazard Statement Code(s)
1	Acute Tox. 4	GHS07, Wng	H302, H332
2	Acute Tox. 4, Acute Tox. 3, Ox. Sol. 2, Skin Irrit. 2, Skin Sens. 1, Eye Irrit. 2, Resp. Sens. 1, STOT SE 3, Muta. 2, Carc. 2, Aquatic Chronic 4, Carc. 1B, Aquatic Acute 1, Aquatic Chronic 1, STOT RE 1, Ox. Sol. 3, Carc. 1A, STOT RE 2	GHS06, Dgr, GHS03, GHS08, GHS09	H332, H301, H272, H315, H317, H319, H334, H335, H341, H350, H400, H410, H372

Harmonisation Code 1 = The most prevalent classification. Harmonisation Code 2 = The most severe classification.

National Inventory	Status
Australia - AICS	Y
Canada - DSL	Y
Canada - NDSL	N (barium chromate; strontium nitrate; rosin-colophony; magnesium; aluminium; sodium nitrate; potassium perchlorate; potassium nitrate)
China - IECSC	Y
Europe - EINEC / ELINCS / NLP	Y
Japan - ENCS	N (rosin-colophony; magnesium; aluminium)
Korea - KECI	Y
New Zealand - NZIoC	Y
Philippines - PICCS	Y
USA - TSCA	Y
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Full text Risk and Hazard codes

H228	Flammable solid.
H250	Catches fire spontaneously if exposed to air.
H251	Self-heating: may catch fire.
H260	In contact with water releases flammable gases which may ignite spontaneously.
H261	In contact with water releases flammable gases.
H271	May cause fire or explosion; strong oxidiser.
H272	May intensify fire; oxidiser.
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H351	Suspected of causing cancer.
H361	Suspected of damaging fertility or the unborn child.
H371	May cause damage to organs.
H372	Causes damage to organs through prolonged or repeated exposure.

ILLUMINATING PARACHUTE ROCKET

H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Other information

Ingredients with multiple cas numbers

Name	CAS No
strontium nitrate	10042-76-9, 13470-05-8
aluminium	7429-90-5, 91728-14-2

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Wescom Group Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eye-protection
EN 340 Protective clothing
EN 374 Protective gloves against chemicals and micro-organisms
EN 13832 Footwear protecting against chemicals
EN 133 Respiratory protective devices

Definitions and abbreviations

PC—TWA: Permissible Concentration-Time Weighted Average
PC—STEL: Permissible Concentration-Short Term Exposure Limit
IARC: International Agency for Research on Cancer
ACGIH: American Conference of Governmental Industrial Hygienists
STEL: Short Term Exposure Limit
TEEL: Temporary Emergency Exposure Limit.
IDLH: Immediately Dangerous to Life or Health Concentrations
OSF: Odour Safety Factor
NOAEL :No Observed Adverse Effect Level
LOAEL: Lowest Observed Adverse Effect Level
TLV: Threshold Limit Value
LOD: Limit Of Detection
OTV: Odour Threshold Value
BCF: BioConcentration Factors
BEI: Biological Exposure Index